

## A kémiai tudományágak reprezentativ közleményei

### Analitikai és környezeti kémia

- Ajtony, Z., Szoboszlai, N., Suskó, E.K., Mezei, P., György, K., Bencs L. *Direct sample introduction of wines in graphite furnace atomic absorption spectrometry for the simultaneous determination of arsenic, cadmium, copper and lead content*, Talanta 76, 627–634 (2008)
- Bencs, L., Szakács, O., Kántor, T., Varga, I., Bozsai, G. *Determination of chromium, molybdenum and vanadium dopants in bismuth tellurite optical crystals by multi-element graphite furnace atomic absorption spectrometry*, Spectrochim. Acta B 55, 883-891 (2000)
- Béni, Á., Karosi, R., Posta J. *Speciation of hexavalent chromium in waters by liquid–liquid extraction and GFAAS determination*, Microchem. J., 85, 103–108 (2007)
- Béni, Z., Orgoványi, J., Kóti, J., Sánta, C., Horváth, J., Mahó, S., Szántay, C. *Detection by HPLC and structural characterization by NMR and MS of a natural deuterium isotopologue of ulipristal acetate*, J. Pharm. Biomed. Anal., 98, 279–286 (2014)
- Billes, F., Mohammed-Ziegler, I., Bombicz P. *Vibrational spectroscopic study on the quantum chemical model and the X-ray structure of gallic acid, solvent effect on the structure and spectra*, Vib. Spectrosc., 43, 193–202 (2007)
- Biri-Kovács, B., Kiss, B., Vadászi, H., Gógl, G., Pálfy, G. Török, G., Homolya, L., Bodor, A., Nyitrai, L. *Ezrin interacts with S100A4 via both its N- and C-terminal domains*, Plos One, 12, e0177489 (2017)
- Bodó, E.T., Stefánka, Z., Ipolyi, I., Sörös, C., Dernovics, M., Fodor, P. *Preparation, homogeneity and stability studies of a candidate LRM for Se speciation*, Anal. Bioanal. Chem. 377, 32–38 (2003)
- Bódog I., Polyák, K., Csikós-Hartyányi, Z., Hlavay, J. *Sequential extraction procedure for the speciation of elements in fly ash samples*, Microchem. J. 54, 320–330 (1996)
- Bognár, J., Szűcs, J., Dorkó, Z., Horváth, V. Gyurcsányi, R.E., *Nanosphere lithography as a versatile method to generate surface-imprinted polymer films for selective protein recognition*. Adv. Funct. Mater., 23, 4703–4709 (2013)
- Bosserdt, M., Erdőssy, J., Lautner, G., Witt, J., Köhler, K., Gajovic-Eichelmann, N., Yarman, A., Wittstock, G., Scheller, F.W., Gyurcsányi, R.E. *Microelectrospotting as a new method for electrosynthesis of surface-imprinted polymer microarrays for protein recognition*, Biosens. Bioelectron., 73, 123–129 (2015)
- Cserfalvi, T., Mezei, P. *Process for atomising electrolytes and the chemical analysis thereof*, US Patent Number: 5,760,897; Date of Patent: Jun 2, 1998
- Falussy, C., Nagy, D., Posta J. *Thermospectrometer apparatus and method to operate the thermospectrometer*, HU1500263 (A2), Date: 2013. 10. 10.
- Farkas, I., Bányai, I., Szabó, Z. Wahlgren, U., Grenthe, I., *Rates and mechanisms of water exchange of  $UO_2^{2+}(aq)$  and  $UO_2(\text{oxalate})F(H_2O)_2^-$ : A variable-temperature  $^{17}\text{O}$  and  $^{19}\text{F}$  NMR study*, Inorg. Chem., 39, 799–805 (2000)
- Galbács, G., Geretovszky, Z., Kohut, A. *Eljárás és berendezés szíkrakisülési részecskegenerátor monitorozására* P1900246, Benyújtás ideje: 2019.07.05.
- Galbács, G., Budavári, V., Geretovszky Z. *Multi-pulse laser-induced plasma spectroscopy using a single laser source and a compact spectrometer*, J. Anal. At. Spectrom., 20, 974–980 (2005)
- Galbács, G., Jedlinszki, N., Herrera, K., Omenetto, N., Smith, B.W., Winefordner, J.D. *A study of ablation, spatial, and temporal characteristics of laser-induced plasmas generated by multiple collinear pulses*, Appl. Spectrosc., 64, 161–172 (2010)
- Görög, S. (ed), *Identification and determination of impurities in Drugs*, Progress in Pharmaceutical and Biomedical Analysis Volume 4, Elsevier, Amsterdam (2000).

- Görög, S. *Estimation of impurity profiles of drugs and related materials: Part XXI.* Anal. Bioanal. Chem., 377, 852–862 (2003)
- Halmosi, R., Berente, Z., Osz, E., Toth, K., Literati-Nagy, P., Sumegi, B. *Effect of poly(ADP-ribose) polymerase inhibitors on the ischemia-reperfusion-induced oxidative cell damage and mitochondrial metabolism in Langendorff heart perfusion system*, Mol. Pharmacol., 59, 1497–1505 (2001)
- Heltai, G., Broekaert, J.A.C., Burba, P., Leis, F., Tschöpel, P., Tölg, G. *Study of a toroidal argon and a cylindrical helium microwave induced plasma for analytical atomic emission spectrometry- I. Configurations and spectroscopic properties*, Spectrochim. Acta B 45, 301–311 (1990)
- Heltai, G., Percsich, K., Fekete, I., Barabás, B., Józsa, T. *Speciation of waste water sediments*, Microchem. J. 67, 43–51 (2000)
- Holló-Sitkei, E., Szalontai, G., Lois, I., Gömöry, A., Pollreisz, F., Párkányi, L., Jude, H., Besenyei, G. *Sterically-directed consecutive and size-selective self-assembly of palladium diphosphane complexes with an Ar-BIAN ligand: Unexpected formation of pentameric and hexameric aggregates*, Chem. Eur. J., 15, 10620–10633 (2009)
- Horváth, G., Biczók, L., Majer, Z., Kovács, M., Micsonai, A., Kardos, J., Tőke, O. *Structural insight into a partially unfolded state preceding aggregation in an intracellular lipid-binding protein*, FEBS J., 284(21), 3637–3661 (2017)
- Jancsó, A., Kovács, E., Cseri, L., Rózsa, B., Galbács, G., Csizmadia, I., Mucsi, Z. *Synthesis and spectroscopic characterization of novel GFP chromophore analogues based on aminoimidazolone derivatives*, Spectrochim. Acta A, 218, 161–170 (2019)
- Justh, N., Mikula, G.J., Bakos, P.L., Nagy, B., László, K., Parditka, B., Erdélyi, Z., Takáts, V., Mizsei, J., Szilágyi, I.M. *Photocatalytic properties of polymer/TiO<sub>2</sub> and carbon/TiO<sub>2</sub> aerogel composites prepared by atomic layer deposition*, Carbon, 146, 476–482 (2019)
- Kálomista, I., Kéri, A., Ungor, D., Csapó, E., Dékány, I., Prohaska, T., Galbács, G. *Dimensional characterization of gold nanorods by combining millisecond and microsecond temporal resolution single particle ICP-MS measurements*, J. Anal. At. Spectrom., 32, 2455–2462 (2017)
- Kálomista, I., Kéri, A., Galbács, G. *On the applicability and performance of the single particle ICP-MS nano-dispersion characterization method in cases complicated by spectral interferences*, J. Anal. At. Spectrom., 31, 1112–1122 (2016)
- Kerkez, D.V., Tomašević, D.D., Kozma, G., Bečelić-Tomin, M.R., Prica, M.D., Rončević, S.D., Kukovecz, Á., Dalmacija, B.D., Kónya, Z. *Three different clay-supported nanoscale zero-valent iron materials for industrial azo dye degradation: A comparative study*, J. Taiwan. Inst. Chem. E., 45(5), 2451–2461 (2014)
- Kollár, L., Sándor, P., Szalontai, G. *Temperature dependence of the enantioselective hydroformylation with PtCl<sub>2</sub>[(S)-BINAP] + SnCl<sub>2</sub> catalyst and the dynamic NMR study of the catalytic precursor*, J. Mol. Catal., 67, 191–198 (1991)
- Kónya, Z., Vesselenyi, I., Niesz, K., Kukovecz, A., Demortier, A., Fonseca, A., Delhalle, J., Mekhalif, Z., Nagy J.B., Koós, A.A., Osváth, Z., Kocsónya, A., Biró, L.P., Kiricsi, I. *Large scale production of short functionalized carbon nanotubes*, Chem. Phys. Lett., 360, 429–435 (2002)
- Kozma, D., Pokol, G., Acs, M. *Calculation of the efficiency of optical resolutions on the basis of the binary phase diagram for the diastereoisomeric salts*, J. Chem. Soc. Perk. Trans., 2(3), 435–439 (1992)
- Makra, I., Brajnovits, A., Jágerszki, G., Fürjes, P., Gyurcsányi, R.E. *Potentiometric sensing of nucleic acids using chemically modified nanopores*, Nanoscale, 9, 739–747 (2017)
- Mazak, K., Noszal, B., Zwitterions can be predominant in membrane penetration of drugs: experimental proof. J. Med. Chem., 55, 6942–6947 (2012)

- Mihucz, V.G., Tatár, E., Virág, I., Cseh, E., Fodor, F., Záray, G. *Arsenic speciation in xylem sap of cucumber* (*Cucumis sativus L.*), *Anal. Biochem. Anal.*, 383, 461–466 (2005)
- Mirzahosseini, A., Noszál B. *Species-specific standard redox potential of thiol-disulfide systems: A key parameter to develop agents against oxidative stress*, *Sci. Rep.*, 6, Paper 37596, (2016)
- Német, Z., Demeter, Á., Pokol, G. *Quantifying low levels of polymorphic impurity in clopidogrel bisulphate by vibrational spectroscopy and chemometrics*, *J. Pharm. Biomed. Anal.*, 49 (1), 32–41 (2009)
- Német, Z., Kis, C. G., Pokol, G., Demeter, Á. *Quantitative determination of famotidine polymorphs: x-ray powder diffractometric and raman spectrometric study*, *J. Pharm. Biomed. Anal.*, 49 (2), 338–346 (2009)
- Noszál, B., Kraszni, M. *Conformer-specific partition coefficient: Theory and determination*. *J. Phys. Chem. B*, 106, 1066–1068 (2002)
- Perczel, A., Hollosi, M., Foxman, B.M., Fasman, G.D. *Conformational analysis of pseudocyclic hexapeptides based on quantitative circular dichroism (CD), NOE, and X-ray data. The pure CD spectra of type I and type II. $\beta$ -turns*, *J. Am. Chem. Soc.*, 113, 9772–9784 (1991)
- Posta, J., Berndt, H., Luo, S.K., Schaldach, G. *High-performance flow flame atomic-absorption spectrometry for automated online separation and determination of Cr(III)/Cr(VI) and preconcentration of Cr(VI)*, *Anal. Chem.* 65, 2590–2595 (1993)
- Pusztai, P., Kukovecz, A., Kónya, Z. *Green synthesis of biomimetic CePO<sub>4</sub>:Tb nanostructures using the simplest morphology control*, *RSC Adv.*, 49879–49887 (2014)
- Rosemeyer, H., Toth, G., Golankiewicz, B., Kazimierczuk, Z., Bourgeois, W., Kretschmer, U., Muth, H.P., Seela, F. *Syn-anti conformational analysis of regular and modified nucleosides by 1D 1H NOE difference spectroscopy: a simple graphical method based on conformationally rigid molecules*, *J. Org. Chem.* 55, 5784–5790 (1990)
- Sipos, B., Pintye-Hódi, K., Kónya, Z., Kelemen, A., Regdon, G., Sovány, T. *Physicochemical characterisation and investigation of the bonding mechanisms of API-titanate nanotube composites as new drug carrier systems*, *Int. J. Pharmaceut.*, 518(1–2), 119–129 (2017)
- Stojanovic, Z., Erdőssy, J., Keltai, K., Scheller, F.W., Gyurcsányi, R.E. *Electrosynthesized molecularly imprinted polyscopoletin nanofilms for human serum albumin detection*. *Anal. Chim. Acta*, 977, 1–9 (2017)
- Szabó, P., Zsirka, B., Fertig, D., Horváth, E., Csizmadia, T., Kristóf, J. *Delaminated kaolinites as potential photocatalysts: Degradation of benzenesulfonate test compound on the surface of kaolinite nanostructures*, *Catal. Tod.*, 287, 37–44 (2017)
- Szakács, Z., Mészáros, T., de Jonge, M.I., Gyurcsányi, R.E. *Selective counting and sizing of single virus particles using fluorescent aptamer-based nanoparticle tracking analysis*, *Nanoscale*, 10, 13942–13948 (2018)
- Szakács, Z., Sánta, Z., Lomoschitz, A., Szántay, C. *Self-induced recognition of enantiomers (SIRE) and its application in chiral NMR analysis*, *TrAC*, 109, 180–197 (2018)
- Szántay, C., Demeter, Á. *The hidden exchange partner in NMR spectroscopy. Kinetic properties and implications in NOE analysis*. *J. Magn. Reson.*, 115, 94–105 (1995)
- Szilágyi, I. M., Madarász, J., Pokol, G., Király, P., Tárkányi, G., Saukko, S., Mizsei, J., Tóth, A. L., Szabó, A., Varga-Josepovits, K. *Stability and controlled composition of hexagonal WO<sub>3</sub>*, *Chem. Mater.*, 20, 4116–4125 (2008)
- Tárkányi, G., Király, P., Varga, S., Vakulya, B., Soós, T. *Edge-to-face CH/π aromatic interaction and molecular self-recognition in epi-cinchona-based bifunctional thiourea organocatalysis*, *Chem. Eur. J.*, 14, 6078–6086 (2008)
- Tieger, E., Kiss, V., Pokol, G., Finta, Z. *Crystallisation of a salt hydrate with a complex solid form landscape*, *CrystEngComm*, 19(14), 1912–1925 (2017)

- Tomaševic, D.D., Kozma, G., Kerkez, D.V., Dalmacija, B.D., Dalmacija, M.B., Bečelić-Tomin, M.R., Kukovecz, Á., Kónya, Z., Rončević, S. *Toxic metal immobilization in contaminated sediment using bentonite- and kaolinite-supported nano zero-valent iron*, J. Nanoparticle Res., 16(8), 2548 (2014)
- Veres, M., Tóth, S., Koós M. *Grain boundary fine structure of ultrananocrystalline diamond thin films measured by Raman scattering*, Appl. Phys. Lett., 91, 031913 (2007)
- Verrept, P., Galbács, G., Moens, L., Dams, R., Kurfürst U. *Solid sampling electrothermal vaporization inductively coupled plasma atomic emission spectrometry (ETV-ICP-AES): influence of some ICP operating parameters*, Spectrochim. Acta B, 48, 671–680 (1993)
- Williamson, R.T., Márquez, B.L., Gerwick, W.H., Kövér, K.E. *One- and two-dimensional gradient-selected HSQMBC NMR experiments for the efficient analysis of long-range heteronuclear coupling constants*, Magn. Reson. Chem., 38, 265–273 (2000)
- Záray, G., Kántor, T. *Direct determination of arsenic, cadmium, lead and zinc in soils and sediments by electrothermal vaporization and inductively coupled plasma excitation spectrometry*, Spectrochim. Acta B, 50, 489–500 (1995)
- Zsirka, B., Horváth, E., Járvás, Z., Dallos, A., Makó, É., Kristóf, J. *Structural and energetical characterization of exfoliated kaolinite surfaces*, Appl. Clay Sci., 124–125, 54–61 (2016)

## Élelmisztudomány

- Adányi, N., Majer-Baranyi, K., Berki, M., Darvas, B., Wang, B., Szendrő, I., Székács, A. *Development of immunosensors based on optical waveguide light mode spectroscopy (OWLS) technique for determining active substance in herbs*. Sens. Actuators B: Chem., 239, 413-420 (2016)
- Adányi, N., Levkovets, I.A., Rodriguez Gil S., Ronald, A., Váradi, M., Szendrő, I. *Development of immunosensor based on owls technique for determining aflatoxin B1 and ochratoxin A*. Biosens. Bioelectr., 22(6), 797–802 (2007)
- Barlow, S.M., Boobis, A.R., Bridges, J., Cockburn, A., Dekant, W., Hepburn, P., Houben, G.F., König, J., Nauta, M.J., Schuermans, J., Bánáti, D. *The role of hazard- and risk-based approaches in ensuring food safety*, Trends Food Sci. Tech., 46(2), 176–188 (2015)
- Bugyi, Zs., Török, K., Hajas, L., Adonyi, Zs., Diaz-Amigo, C., Popping, B., Poms, R., Kerbach, S., Tömösközi, S. *Development of incurred reference material for improving conditions of gluten quantification*. J. AOAC Int., 95(2), 382–387 (2012)
- Cserháti, M., Kriszt, B., Krifaton, Cs., Szoboszlay, S., Háhn, J., Tóth, Sz., Nagy, I., Kukolya, J. *Mycotoxin-degradation profile of Rhodococcus strains*. Int. J. Food Microbiol., 166(1), 176–185 (2013)
- Dernovics, M., Stefánka, Zs., Fodor, P. *Improving selenium extraction by sequential enzymatic processes for Se-speciation of selenium-enriched Agaricus bisporus*, Fresen. J. Anal. Chem., 372(3), 473–480 (2002)
- Dobolyi, Cs., Sebők, F., Varga, J., Kocsbáé, S., Szigeti, G., Baranyi, N., Szécsi, Á., Tóth, B., Varga, M., Kriszt, B., Szoboszlay, S., Krifaton, C., Kukolya, J. *Occurrence of aflatoxin producing Aspergillus flavus isolates in maize kernel in Hungary*, Acta Aliment. Hung., 42(3), 451–459 (2013)
- Halász, A., Baráth, Á., Simon Sarkadi, L., Holzapfel, W.H. *Biogenic amines and their production by microorganisms in food. A review*. Trends Food Sci. Tech., 5, 42–49 (1994)
- Haraszi, R., Gras, P.W., Tömösközi, S., Salgó, A., Békés, F. *Application of a micro Z-arm mixer to characterize mixing properties and water absorption of wheat flour*. Cereal Chem., 81(5), 555–560 (2004)
- Jaitz, L., Siegl, K., Eder, R., Rak, G., Abranko, L., Koellensperger, G., Hann, S. *LC-MS/MS analysis of phenols for classification of red wine according to geographic origin, grape variety and vintage*, Food Chem., 122(1), 366–372 (2010)

- Kriszt, B., Táncsics, A., Cserháti, M., Tóth, Á., Nagy, I., Horváth, B., Nagy, I., Tamura, T., Kukolya, J., Szoboszlay, S. *De novo genome project of the aromatic degrader Rhodococcus pyridinivorans strain AK37*. *J. Bacteriol.*, 194(5), 1247–1248 (2012)
- Miquel, S., Champ, C., Day, J., Aarts, E., Bahr, B.A., Bakker, M., Bánáti, D., Calabrese, V., Cederholm, T., Cryan, J., Dye, L., Farrimon, J.A., Korosi, A., Layé, S., Maudsley, S., Milenkovic, D., Mohajeri, M., Sijben, J., Solomon, A., Spencer, J.P.E., Thuret, S., Vanden Berghe, W., Vauzour, D., Vellas, B., Wesnes, K., Willatts, P., Wittenberg, R., Geurts, L. *Poor cognitive ageing: Vulnerabilities, mechanisms and the impact of nutritional interventions*, *Ageing Res. Rev.*, 41(1), 1–63 (2018)
- Prettl, Zs., Dési, E., Lepossa, A., Kriszt, B., Kukolya, J., Nagy, E. *Biological degradation of aflatoxin B1 by a Rhodococcus pyridinivorans strain in by-product of bioethanol*. *Anim. Feed Sci. and Technol.* 224, 104–114 (2017)
- Schall, E., Scherf, K.A., Bugyi, Zs., Hajas, L., Török, K., Koehler, P., Poms, R.E., D'Amico, S., Schoenlechner, R., Tömösközi, S. *Characterisation and comparison of selected wheat (*Triticum aestivum L.*) cultivars and their blends to develop a gluten reference material*. *Food Chem.*, 313, 126049 (2020)
- Siró, I., Kápolna, E., Kápolna, B., Lugasi, A. *Functional food. Product development, marketing and consumer acceptance—A review*, *Appetite*, 51(3), 456–467 (2008)
- Szinai, I., Salgó, A. *Effective sample preparation method for extracting biologically active compounds from different matrices by a microwave technique*. *J. Chromatogr. A*, 520, 257–262 (1990)
- Tóth, Á., Barna, T., Szabó, E., Elek, R., Hubert, Á., Nagy, I., Nagy, I., Kriszt, B., Táncsics, A., Kukolya, J. *Cloning, expression and biochemical characterization of endomannanasases from *Thermobifida* species isolated from different niches*. *Plos One* 11:(5) Paper e0155769. 17. (2016)
- Walsh, M.C., Buzoianu, S.G., Gardiner, G.E., Rea, M.C., Gelencsér, É., Jánosi, A., Epstein, M.M., Ross, R.P., Lawlor, P.G. *Fate of transgenic DNA from orally administered Bt MON810 maize and effects on immune response and growth in pigs*. *Plos One*, 6(11), 1–12 (2011)
- Wang, X., Appels, R., Zhang, X., Diepeveen, D., Török, K., Tömösközi, S., Békés, F., Ma, W., Sharp, P., Islam, S. *Protein interactions during flour mixing using wheat flour with altered starch*, *Food Chem.*, 231, 247–257 (2017)
- Watanabe, D., Adányi, N., Takács, K., Maczó, A., Nagy, A., Gelencsér, É., Pachner, M., Lauter, K., Baumgartner, S., Vollmann, J. *Development of soybeans with low P34 allergen protein concentration for reduced allergenicity of soy foods*, *J. Sci. Food Agric.*, 97(3), 1010–1017 (2016)

## Fizikai kémia

- Bakonyi, I., Péter, L. *Electrodeposited multilayer films with giant magnetoresistance (GMR): Progress and problems*, *Prog. Mat. Sci.*, 55, 107-245 (2010)
- Bourlinos, A.B., Gournis D., Petridis D., Szabó T., Szeri, A., Dékány I. *Graphite oxide: Chemical reduction to graphite and surface modification with primary aliphatic amines and amino acids*, *LANGMUIR* 19, 6050-6055 (2003)
- Czakó, G., Bowman, J.M. *Dynamics of the reaction of methane with chlorine atom on an accurate potential energy surface*, *Science*, 334, 343–346 (2011)
- Donald, M.K., Hargittai, M., Hoffmann R. *Group 12 dihalides: Structural predilections from gases to solids* *Chem. Eur. J.*, 158-177 (2009)
- Hargittai, I. *Shape concept in chemistry*. *Pure Appl. Chem.* 64, 1489–1498 (1992)
- Hargittai, I. *Symmetry in crystallography*. *Acta Cryst. A*54, 707–715 (1998)
- Hargittai, I. *Echoes of our VSPRing*. *Coord. Chem. Rev.*, 197, 21–35 (2000)

- Hargittai, I. Hargittai, M., *Molecular structure of hyaluronan*. Struct. Chem., 19, 697–717 (2008)
- Hargittai, M. *Metal halide molecular structures*. Chem. Rev., 100, 2233-2301(2000)
- Hargittai, M. *Structural effects in molecular metal halides*, Acc. Chem. Res. 42, 453-462 (2009)
- Hargittai, M. Hargittai, I., *Experimental and computed bond lengths*. Int. J. Quant. Chem., 44, 1057–1067 (1992)
- Hargittai, M. Hargittai, I., *Symmetry in chemistry*. Eur. Rev., 13(2), 61–75 (2005)
- Hargittai, M. Réffy, B., Kolonits, M., Marsden C.J., Heully J-L. *The structure of the free MnF<sub>3</sub> molecule – A beautiful example of the Jahn-Teller effect*. J. Am. Chem. Soc., 119, 9042-9048 (1997)
- Hernádi, K., Fonseca, A., Nagy, J.B., Siska, A., Kiricsi, I. *Production of nanotubes by the catalytic decomposition of different carbon-containing compounds*, Appl. Catal. A – Gen., 199, 245–255 (2000)
- Horváth, J., Szalai, I., De Kepper, P. *An experimental design method leading to chemical turing patterns*, Science, 324, 772–775 (2009)
- Kiss, T., Jakusch, T., Hollender, D., Dörnyei, Á., Enyedy, É. A., Costa Pessoa, J., Sakurai, H., Sanz-Medel, A. *Biospeciation of antidiabetic VO(IV) complexes*, Coord. Chem. Rev., 252, 1153–1162 (2008)
- Kovács, A., Szabó, A., Hargittai, I. *Structural characteristics of intramolecular hydrogen bonding in benzene derivatives*. Acc. Chem. Rev., 35, 887 (2002)
- Kurin-Csörgei, K., Epstein, I. R., Orbán, M. *Systematic design of chemical oscillators using complexation and precipitation equilibria*, Nature, 433, 139-142 (2005)
- Kurzak, B., Kozłowski, H., Farkas, E. *Hydroxamic and aminohydroxamic acids and their complexes with metal-ions*, Coord. Chem. Rev., 114, 169-200 (1992)
- László, K., Tombácz, E., Josepovits, K. *Effect of activation on the surface chemistry of carbons from polymer precursors*, Carbon, 39, 1217–1228 (2001)
- Mayer, I. *Bond order and valence indices: a personal account*. J. Comp. Chem., 28, 204-221 (2007)
- Micskei, K., Helm, L., Brücher, E., Merbach, E. *O-17 NMR-study of water exchange on [Gd(dtpa)(H<sub>2</sub>O)]<sup>2-</sup> and [Gd(dota)(H<sub>2</sub>O)]<sup>-</sup> related to NMR imaging*, Inorg. Chem., 32, 3844-3850 (1993)
- Orbán, M., Kurin-Csörgei, K., Epstein, I.R. *pH-Regulated chemical oscillators*, Acc. Chem. Res., 48, 593-601 (2015)
- Polyansky, O.L., Császár, A.G., Shirin, S.V., Zobov, N.F., Barletta, P., Tennyson, Ij, Schwenke, D.W., Knowles P.J. *High-accuracy ab initio rotation-vibration transitions for water*, Science, 299, 539-542 (2003)
- Ruscic, B., Boggs, J.E., Burcat, A., Császár, A.G., Demaison, J., Janoschek, R., Martin, J.M.L., Morton, M.L., Rossi, M.J., Szalay, P.G., Westmoreland P. P., Zabel, F., Bérces, T. *IUPAC critical evaluation of thermochemical properties of selected radicals. Part I*, J. Phys. Chem. Ref. Data, 34, 573–656 (2005)
- Schreiner, P.R., Reisenauer, H.P., Pickard, F.C., Simmonett, A. C., Allen, W.D., Mátyus, E., Császár, A.G. *Capture of hydroxymethylene and its fast disappearance through tunnelling*, Nature, 453, 906-909 (2008)
- Sóvágó, I., Ősz, K. *Metal ion selectivity of oligopeptides*, Dalton Trans., 32, 3841-3854 (2006)
- Turi L., Sheu, W.S., Rossky, P.J. *Characterization of excess electrons in water-cluster anions by quantum simulations*, Science, 309, 914-917 (2005)
- Varga, I., Gilányi, T., Mészáros, R., Filipcsei, G., Zrínyi, M. *Effect of cross-link density on the internal structure of Poly(N-isopropylacrylamide) microgels*, J. Phys. Chem. B, 105, 9071–9076 (2001)

## Műszaki kémia

- Bélafi-Bakó, K., Koroknai, B. *Enhanced water flux in fruit juice concentration: Coupled operation of osmotic evaporation and membrane distillation*, J. Membr. Sci., 269, 187-193 (2006)
- Bélafi-Bakó, K., Nemestóthy, N., Bakonyi, P. *Separation of gases using membranes containing ionic liquids*, in *Ionic liquids in separation technology*, Ed. by De Los Rios, A.P., Fernandez, F.J.H., Elsevier, Amsterdam, 2014, pp. 261-273
- Belafi-Bako, K., Petrinic, I., Helix-Nielsen, C., Sun, G., Siew, Y.W., Alvisse, S., Tung, N.X., Boor, A. Nemestothy, N. *Osmotic driven membrane processes for separation of special food compounds*, in Separation of Functional Molecules in Food by Membrane Technology, Ed. by Galanakis, C.M., Elsevier Academic Press, London, 2019, pp. 383-401
- Bodis, E., Cora, I., Nemeth, P., Tapaszto, O., Mohai, M., Toth, S., Károly, Z., Szepvolgyi, J. *Spark plasma sintering of graphene reinforced silicon carbide ceramics*, Ceram. Int., 43, 9005-9011 (2017)
- Klébert, S., Balázs, C., Balázs, K., Bód, E., Fazekas, P., Keszler, A., Szépvölgyi, J., Károly, Z. *Spark plasma sintering of graphene reinforced hydroxyapatite composites*, Ceram, Int., 41(3), 3647-3651 (2015)
- Koók, L., Różenberszki, T., Nemestóthy, N., Bélafi-Bakó, K., Bakonyi, P. *Bioelectrochemical treatment of municipal waste liquor in microbial fuel cells for energetic valorization*. J. Clean. Prod., 112, 4406-4412 (2016)
- Lang, P., Hegely, L. *Different feeding policies for semi-batch distillation*, Chem. Eng. Trans., 69, 439-444 (2018)
- Lang, P., Yatim, H., Moszkowicz, P.; Otterbein M. *Batch extractive distillation under constant reflux ratio*, Comput Chem Eng., 18(11-12), 1057-1069 (1994)
- Lang, P., Kovacs, Gy., Kotai, B., Gaal-Szilagyi, J., Modla, G. *Industrial application of a new batch extractive distillation operational policy*, Distillation&Absorption 2006, London, pp. 830-839
- Lelkes, Z., Láng, P., Benadda, B., Moszkowicz, P. *Feasibility of extractive distillation in a batch rectifier*, AIChE J., 44(4), 810-822 (1998)

## Radiokémia

- Armbrüster, M., Kovnir, K., Friedrich, M., Teschner, D., Wowsnick, G., Hahne, M., Gille, P., Szentmiklósi, L., Feuerbacher, M., Heggen, M., Girgsdies, F., Rosenthal, D., Schlägl, R., Grin, Y. *Al13Fe4 as a low-cost alternative for palladium in heterogeneous hydrogenation*. Nat. Mater., 11, 690–693 (2012)
- Belgya, T., Kis, Z., Szentmiklósi, L., Kasztovszky, Z., Festa, G., Andreanelli, L., De Pascale, M.P., Pietropaolo, A., Kudejova, P., Schulze, R., Materna, T. *A new PGAI-NT setup at the NIPS facility of the Budapest Research Reactor*. J. Radioanal. Nucl. Chem., 278, 713–718 (2008)
- Capote, R., Herman, M., Obložinský, P., Young, P.G., Goriely, S., Belgya, T., Ignatyuk, A. V., Koning, A.J., Hilaire, S., Plujko, V.A., Avrigeanu, M., Bersillon, O., Chadwick, M.B., Fukahori, T., Ge, Z., Han, Y., Kailas, S., Kopecky, J., Maslov, V.M., Reffo, G., Sin, M., Soukhovitskii, E.S., Talou, P. *RIPPL - Reference Input Parameter Library for calculation of nuclear reactions and nuclear data evaluations*. Nucl. Data Sheets, 110, 3107–3214 (2009)

- Fekete, T., Borsa, J., Takács, E., Wojnárovits L. *Synthesis and characterization of superabsorbent hydrogels based on hydroxyethylcellulose and acrylic acid*. Carbohydr. Polym., 166, 300–308 (2017)
- Illés, E., Takács, E., Dombi, A., Gajda-Schrantz, K., Rácz, G., Gonter, K., Wojnárovits, L. *Hydroxyl radical induced degradation of ibuprofen*. Sci. Total Environ., 447, 286–292 (2013)
- Lazar, I., Szilagyi, A., Safran, G., Szegedi, A., Stichleutner, S., Lazar, K. *Iron oxyhydroxide aerogels and xerogels by controlled hydrolysis of FeCl<sub>3</sub>[middle dot]6H<sub>2</sub>O in organic solvents: stages of formation*, RSC Adv., 5(89) 72716–72727 (2015)
- Lengyel, A., Tolnai, G., Klencsár, Z., Garg, VK., de Oliveira, AC., Herojit Singh L., Homonnay, Z., Szalay, R., Németh, P., Szabolcs, B., et al. *The effect of carboxylic acids on the oxidation of coated iron oxide nanoparticles*. J. Nanopart. Res., 20, 137 (2018)
- Molnár, G.L., Révay, Z., Belgya, T. *Wide energy range efficiency calibration method for Ge detectors*. Nucl. Instrum. Meth. Phys. A, 489, 140–159 (2002)
- Rózsa, G., Náfrádi, M., Alapi, T., Schrantz, K., Szabó, L., Wojnárovits, L., Takács, E., Tungler, A. *Photocatalytic elimination of imidacloprid from aqueous solution: a comparison with photolysis and radiolysis*. App. Catal. B: Environ., 250, 429–439 (2019)
- Solti, Á., Kovács, K., Basa, B., Vértes, A., Sárvári, É., Fodor, F. *Uptake and incorporation of iron in sugar beet chloroplasts*. Plant Physiol. Biochem., 52, 91–97 (2012)
- Szabó, L., Szabó J., Illés, E., Kovács, A., Belák, Á., Mohácsi–Farkas, Cs., Takács, E., Wojnárovits, L. *Electron beam treatment for tackling the escalating problem of antibiotic resistance: eliminating the antimicrobial activity of wastewater matrices originating from erythromycin*. Chem. Eng. J., 321, 314–324 (2017)
- Sziráki, L., Kuzmann, E., Lak, GB., El-Sharif, M., Chisholm, CU., Stichleutner, S., Havancsák, K., Zih-Perényi, K., Homonnay, Z., Vértes, A. *Study of electrodeposition of amorphous Sn-Ni-Fe ternary alloys from a gluconate based electrolyte*. Surf. Coat. Technol., 211, 184–187 (2012)
- Teschner, D., Borsodi, J., Wootsch, A., Revay, Z., Havecker, M., Knop-Gericke, A., Jackson, S.D., Schlogl, R. *The roles of subsurface carbon and hydrogen in palladium-catalyzed alkyne hydrogenation*. Science, (80) 320, 86–89 (2008)
- Teschner, D., Novell-Leruth, G., Farra, R., Knop-Gericke, A., Schlägl, R., Szentmiklósi, L., Hevia, M.G., Soerijanto, H., Schomäcker, R., Pérez-Ramírez, J., López, N. *In situ surface coverage analysis of RuO<sub>2</sub>-catalysed HCl oxidation reveals the entropic origin of compensation in heterogeneous catalysis*. Nat. Chem., 4, 739–745 (2012)
- Vajda, N., Ghods Espahani, A. Cooper, E., Danesi, Pr. *Determination of radiostrontium in soil samples using a crown-ether*. J. Radioanal. Nucl. Chem., Articles 162(2), 307–323 (1992)
- Wojnárovits, L., Takács, E. *Radiation induced degradation of organic pollutants in waters and wastewaters*. Top. Curr. Chem., (Z) 374:4 paper 50 (2016)
- Wojnárovits, L., Takács, E. *Rate constants of sulfate radical anion reactions with organic molecules: a review*. Chemosphere, 220, 1014–1032 (2019)
- Wojnárovits, L., Takács, E., Dajka, K., Emmi, S.S., Russo, M., D'Angelantonio, M. *Rate coefficient for the H atom reaction with acrylate monomers in aqueous solution*. Tetrahedron, 59, 8353–8358 (2003)
- Wojnárovits, L., Tóth, T., Takács, E. *Critical evaluation of rate coefficients for hydroxyl radical reactions with antibiotics: a review*. Crit. Rev. Environ. Sci. Technol., 6, 575–613 (2018)

- Bokor, É., Kun, S., Goyard, D., Tóth, M., Praly, J.-P., Vidal, S., Somsák, L. *C-Glycopyranosyl arenes and hetarenes: Synthetic methods and bioactivity focused on antidiabetic potential.* Chem. Rev., 117, 1687–1764 (2017)
- Fábián, B., Kudar V., Csámpai A., Nagy T. Zs., Sohár, P. *Synthesis, IR-, NMR-, DFT and X-ray study of ferrocenyl-heterocycles from thiosemicarbazones. Part 21: Study on ferrocenes.* J. Organomet. Chem., 692, 5621–5632 (2007).
- Feher, K., Timari, I., Rakosi, K., Szolomajer, J., Illyes, T.Z. Bartok, A., Varga, Z., Panyi, G., Toth, G.K., Kover, K.E. *Probing pattern and dynamics of disulfide bridges using synthesis and NMR of an ion channel blocker peptide toxin with multiple diselenide bonds.* Chem. Sci., 7, 2666–2673 (2016)
- Fitov, I., Visy, J., Zsila, F., Bikádi, Zs., Mády, Gy., Simonyi, M. *Specific ligand binding on genetic variants of human alfa1-acid glycoprotein studied by circular dichroism spectroscopy.* Biochem. Pharmacol. 67, 679–688 (2004)
- Forró, E., Schönstein, L., Fülöp, F. *Total synthesis of crispine A enantiomers through a Burkholderia cepacia-catalysed kinetic resolution.* Tetrahedron Asymm., 22, 1255–1260 (2011)
- Háda, M., Nagy, V., Deli, J., Agócs, A.: *Hydrophilic carotenoids: Recent progress.* Molecules, 17, 5003–5012 (2012)
- Héja, L., Nyitrai, G., Kékesi, O., Dobolyi, A., Szabó, P., Fiáth, R., Ulbert, I., Pál-Szenthe, B., Palkovits, M., Kardos, J. *Astrocytes convert network excitation to tonic inhibition of neurons.* BMC Biol., 10, 26 (2012)
- Herczeg, M., Lázár, L., Bereczky, Z., Kövér, K.E., Timári, I., Kappelmayer, J., Lipták, A., Antus, S., Borbás, A. *Synthesis and anticoagulant activity of bioisosteric sulfonic-acid analogues of the antithrombin-binding pentasaccharide domain of heparin.* Chem. Eur. J., 18, 10643–10652 (2012)
- Imre, N., Hetényi, A., Szabó, E., Bodnár, B., Szkalisity, A., Gróf, I., Bocsik, A., Deli, M.A., Horvath, P., Czibula, Á., Monostori, É., Martinek, T.A. *Routing nanomolar protein cargoes to lipid raft-mediated/caveolar endocytosis through a ganglioside GM1-specific recognition Tag.* Adv. Sci., 7, 1902621 (2020)
- Jakab, A., Schlosser, G., Feijlbrief, M., Welling-Wester, S., Manea, M., Vila-Perello, M., Andreu, D., Hudecz, F., Mezo, G. *Synthesis and antibody recognition of cyclic epitope peptides, together with their dimer and conjugated derivatives based on residues 9–22 of Herpes simplex virus type 1 glycoprotein D.* Bioconjugate Chem., 20, 683–692 (2009)
- Jančáříková, G., Herczeg, M., Fujdiarová, E., Houser, J., Kövér, K. E., Borbás, A., Wimmerová, M., Csavás, M. *Synthesis of α-L-fucopyranoside-presenting glycoclusters and investigation of their interaction with recombinant *Photorhabdus asymbiotica* lectin (PHL).* Chem. Eur. J., 24, 4055–4068 (2018)
- Keglevich, A., Mayer, Sz., Pápai, R., Szigetvári, Á., Sánta, Zs., Dékány, M., Szántay, Cs., Jr., Keglevich, P., Hazai, L. *Attempted synthesis of Vinca alkaloids condensed with three-membered rings.* Molecules, 23, 2574–2595 (2018)
- Keglevich, G., Böcskei, Z., Keserű, G. M., Újszászy, K., Quin, L. D. *1-(2,4,6-Tri-tert-butylphenyl)-3-methylphosphole: A phosphole with a significantly flattened phosphorus pyramid having pronounced characteristics of aromaticity.* J. Am. Chem. Soc., 119, 5095–5099 (1997)
- Keglevich, P., Hazai, L., Kalaus, Gy., Szántay, Cs. *Modifications on the basic skeletons of vinblastine and vincristine.* Molecules, 17, 5893–5914 (2012)
- Kelemen, V., Bege, M., Eszenyi, D., Debreczeni, N., Bényei, A., Stürzer, T., Herczegh, P., Borbás, A. *Stereoselective thioconjugation by photoinduced thiol-ene coupling reactions of hexo- and pentopyranosyl D- and L-glycals at low-temperature reactivity and stereoselectivity study.* Chem. Eur. J., 25, 14555–14571 (2019)

- Keserű, Gy.M., Kolossváry, I. *Fully flexible low-mode docking: Application to induced fit in HIV integrase*. J. Am. Chem. Soc., 123, 12708–09 (2001)
- Kovács, B., Forró, E., Fülöp, F. *Candida antarctica lipase B catalyzed kinetic resolution of 1,2,3,4-tetrahydro- $\beta$ -carbolines: Substrate specificity*. Tetrahedron, 74, 6873–6877 (2018)
- Kupai, J., Lévai, S., Antal, K., Balogh, G.T., Tóth, T., Huszthy, P. *Preparation of pyridino-crown ether-based new chiral stationary phases and preliminary studies on their enantiomer separating ability for chiral protonated primary aralkylamines*. Tetrahedron Asymm., 23, 415–427 (2012)
- Mándi, A., Kurtán, T. *Applications of OR/ECD/VCD to the structure elucidation of natural products*. Nat. Prod. Rep., 36, 889–918 (2019)
- Menyhárd, D. K., Keserű, Gy. M. *Stereoelectronic control on the coordination of substrates to globin proteins. The role of proximal His93 on the NO release from myoglobin*. J. Am. Chem. Soc., 120, 7991–92 (1998)
- Novák, Z., Szabó A., Répási J., Kotschy A. *Sonogashira coupling of aryl halides catalyzed by palladium on charcoal*. J. Org. Chem., 68, 3327–3329 (2003)
- Örkényi, R., Éles, J., Faigl, F., Vincze, P., Prechl, A., Szakács, Z., Kóti, J., Greiner, I. *Continuous synthesis and purification by coupling a multistep flow reaction with centrifugal partition chromatography*. Angew. Chem. Internat. Ed., 56, 8742–8745 (2017)
- Perczel, A., Hudáky, P., Pálfi, V. K. *Dead-end street of protein folding: Thermodynamic rationale of amyloid fibril formation*. J. Am. Chem. Soc., 129, 14959–65 (2007)
- Rapi, Z., Grün, A., Keglevich, G., Stirling, A., Bakó, P. *Synthesis of  $\alpha$ -D-galactose-based azacrown ethers and their application as enantioselective catalysts in Michael reactions*. New. J. Chem., 40, 7856–7865 (2016)
- Taricska, N., Bokor, M., Karancsiné Menyhárd, D., Tompa, K., Perczel, A. *Hydration shell differentiates folded and disordered states of a Trp-cage miniprotein, allowing characterization of structural heterogeneity by wide-line NMR measurements*. Sci. Rep., 9, 2947 (2019)
- Taricska, N., Horváth, D., Menyhárd, D. K., Ákoncz-Kiss, H., Noji, M., So, M., Goto, Y., Fujiwara, T., Perczel, A. *The route from the folded to the amyloid state: Exploring the potential energy surface of a drug-like miniprotein*. Chem. Eur. J., 26, 1968–1978 (2020)
- Tory, K., Menyhárd, D. K., Woerner, S., Nevo, F., Gribouval, O., Kerti, A., Stráner, P., Arrondel, C., Cong, E. H., Tulassay, T., Mollett, G., Perczel, A., Antignac, C. *Mutation-dependent recessive inheritance of NPHS2-associated steroid-resistant nephrotic syndrome*. Nat. Genet., 46, 299–304 (2014)
- Wölfling, J., Frank, É., Schneider, Gy., Tietze, L. F. *Synthesis of novel steroid alkaloids by cyclization of arylimines from estrone*. Eur. J. Org. Chem., 3013–3020 (1999)
- Wölfling, J., Frank, É., Schneider, Gy., Tietze, L. F. *Synthesis of unusual bridged steroid alkaloid by an iminium ion induced 1,5-shift of a benzylic hydride*. Angew. Chem. Int. Ed., 38, 200–201 (1999)
- Zsoldos-Mády, V., Csámpai, A., Szabó, R., Mészáros-Alapi, E., Pásztor, J., Hudecz, F., Sohár, P. *Synthesis, structure, and in vitro antitumor activity of some glycoside derivatives of ferrocenyl-chalcones and ferrocenyl-pyrazolines*. ChemMedChem, 1, 1119–1125 (2006)

## Szervetlen kémia és anyagtudomány

- Barna, A., Pecz, B., Menyhard, M. *Amorphisation and surface morphology development at low-energy ion milling*, Ultramicroscopy, 70, 161–171 (1998)

- Bombicz, P., Czugler, M., Tellgren, R., Kálmán, A. *A Classical example of a disappearing polymorph and the shortest intermolecular H-H separation ever found in an organic crystal structure*, Angew. Chem. Int. Ed., 42, 1957–1960 (2003)
- Borsa, J., László, K., Boguslavsky, L., Takács, E., Rácz, I., Tóth, T., Szabó, D. *Effect of mild alkali/ultrasound treatment on flax and hemp fibres: the different responses of the two substrates*, Cellulose, 23, 2117–2128 (2016)
- Csepregi, Zs., Aranyosi, P., Rusznák, I., Tóke, L., Frankl, J., Víg, A. *The light stability of azo dyes and azo dyeings; I. Light stability of dyeings with reactive and non-reactive derivatives, respectively, of two selected azochromophores*. Dyes Pigm., 37, 1–14 (1998)
- Csiszár, E., Kalic, P., Köböl, Á., Ferreira, E. P. *The effect of low frequency ultrasound on the production and properties of nanocrystalline cellulose suspensions and films*, Ultrason. Sonochem., 31, 473–480 (2016)
- Ferencz, Zs., Erdőhelyi, A., Baán, K., Oszkó, A., Óvári, L., Kónya, Z., Papp, C., Steinrück, H.-P., Kiss, J. *Effects of support and Rh additive on co-based catalysts in the ethanol steam reforming reaction*, ACS Catal., 4, 1205–1218 (2014)
- Kali, G., Vavra, Sz., László, K., Iván, B. *Thermally responsive amphiphilic conetworks and gels based on poly(N-isopropylacrylamide) and polyisobutylene*, Macromolecules, 42, 5337–5344 (2013)
- Óvári, L., Berkó, A., Balázs, N., Majzik, Z., Kiss, J. *Formation of Rh-Au core-shell nanoparticles on TiO<sub>2</sub> (110) surface studied by STM and LEIS*, Langmuir, 26, 2167–2175 (2010)
- Pukánszky, B. *Influence of interface interaction on the ultimate tensile properties of polymer composites*, Composites, 21, 255–262 (1990)
- Skoda-Földes, R., Kollár, L. *Transition-metal-catalyzed reactions in steroid synthesis*, Chem. Rev., 103, 4095–4130 (2003)

## Gyógyszerészeti tudományok

- Ágai-Csongor, É. Domány, Gy. Nógrádi, K. Galambos, J. Vágó, I. Keserű, G.M. Greiner, I. Laszlovszky, I. Gere, A. Schmidt, É. Kiss, B. Vastag, M. Tihanyi, K. Sághy, K. Laszy, J. Gyertyán, I. Zájer-Balázs, M. Gémesi, L. Kapás, M. Szombathelyi Z. *Discovery of Cariprazine (RGH-188): a Novel Antipsychotic Acting on Dopamine D3/D2 Receptors*; Bioorg Med. Chem. Lett., 22, 3437–3440 (2012)
- Apáti, P., Szentmihályi, K., Kristó, ST, Papp, I., Vinkler, P., Szőke, É., Kéry, Á. *Herbal remedies of Solidago—correlation of phytochemical characteristics and antioxidative properties*. J. Pharm. Biomed. Anal., 32(4–5), 1045–1053 (2003)
- Bak, I., Lekli, I., Juhasz, B., Varga, E., Varga, B., Gesztelyi, R., Szendrei, L., Tosaki, A. *Isolation and analysis of bioactive constituents of sour cherry (*Prunus cerasus*) seed kernel: an emerging functional food*. J. Med. Food., 13(4), 905–10 (2010)
- Budai, L., Ozohanics, O., Ludányi, K., Drahos, L., Kremmer, T., Krenyacz, J., Vékey, K. *Investigation of genetic variants of alpha-1 acid glycoprotein by ultra-performance liquid chromatography-mass spectrometry*, Anal. Bioanal. Chem., 393(3), 991–998 (2009)
- Csupor, D., Wenzig, E.M., Zupkó, I., Wolkart, K., Hohmann, J., Bauer, R. *Qualitative and quantitative analysis of aconitine-type and lipo-alkaloids of *Aconitum carmichaelii* roots*. J. Chromatogr. A, 1216(11), 2079–2086 (2009)
- Domány, G., Greiner I. *A kémia, ami a cariprazine-hoz vezetett*. MKF 122, 112–116. (2016)
- Fulop, V., Jakab, G., Bozo, T., Toth, B., Endresik, D., Balogh, E., Kellermayer, M., Antal, I. *Study on the dissolution improvement of albendazole using reconstitutable dry nanosuspension formulation*. Eur. J. Pharm. Sci., 123, 70–78 (2018)

- Görög, S., Halmos, Zs., Herényi, B., Georgakis, A., Csizér, É., Balogh, G., Tuba, Z. *Isolation and identification of unusual impurities in ethynodiol diacetate*, in Görög, S. (ed): *Advances in Steroid Analysis '90*, Akadémiai Kiadó (Budapest), pp. 323-329, 1991.
- Görög, S. Part LVII. *Advances in the analysis of steroid hormone drugs in pharmaceuticals and environmental samples* (2004–2010) J. Pharm. Biomed. Anal., 55, 728-743 (2011)
- Hohmann, J., Vasas, A., Günther, G., Máthé, I., Evanics, F., Dombi, G., Jerkovich, G. *Macrocyclic diterpene polyesters of the jatrophane type from Euphorbia esula*. J. Nat. Prod., 60, 331–335 (1997)
- Jones, C.J., Beni, S., Limtiaco, J.F.K., Langeslay, D.J., Larive, C.K. *Heparin characterization: challenges and solutions*. Ann. Rev. Anal. Chem., 4, 439–465 (2011)
- Kállai-Szabó, N., Luhn, O., Bernard, J., Kállai-Szabó, B., Zelkó, R., Antal, I. *Comparative dissolution study of drug and inert isomalt based core material from layered pellets*. J. Pharm. Biomed. Anal., 98, 339–344 (2014)
- Katona, G., Balogh, G.T., Dargó, G., Gáspár, R., Márki, Á., Ducza, E., Sztojkov-Ivanov, A., Tömösi, F., Kecskeméti, G., Janáky, T., Kiss, T., Ambrus, R., Pallagi, E., Szabó-Révész, P., Csóka, I. *Development of meloxicam-human serum albumin nanoparticles for nose-to-brain delivery via application of a quality by design approach*. Pharmaceutics, 12, 97 (2020)
- Kőszegi, T., Poór, M. *Ochratoxin A: Molecular interactions, mechanisms of toxicity and prevention at the molecular level*. Toxins, 8, 111 (2016)
- Kuzma, M., Fodor, K., Almási, A., Mózsik, Gy., Past, T., Perjési, P. *Toxicokinetic study of a gastroprotective dose of capsaicin by HPLC-FLD method*. Molecules, 24, 2848 (2019)
- Martins, A., Tóth, N., Ványolós, A., Béni, Z., Zupkó, I., Molnár, J., Báthori, M., Hunyadi, A. *Significant activity of ecdysteroids on the resistance to doxorubicin in mammalian cancer cells expressing the human ABCB1 transporter*. J. Med. Chem., 55, 5034-5043 (2012)
- Noszál, B., Szakács, Z. *Microscopic protonation equilibria of oxidized glutathione*. J. Phys. Chem. B, 107, 5074–5080 (2003)
- Oláh, Z., Rédei, D., Pecze, L., Vízler, Cs., Jósvay, K., Forgó, P., Winter, Z., Dombi, Gy., Szakonyi, G., Hohmann, J. *Pellitorine, an extract of Tetradium danielli, is an antagonist of ion channel TRPV1*. Phytomedicine, 34, 44-49 (2017)
- Pál, S., Nagy, S., Bozó, T., Kocsis, B., Dévay, A. *Technological and biopharmaceutical optimization of nystatin release from a multiparticulate based bioadhesive drug delivery system*. Eur. J. Pharm. Sci., 49, 258–264 (2013)
- Salem, A., Nagy, S., Pál, S., Széchenyi, A. *Reliability of the Hansen solubility parameters as co-crystal formation prediction tool*. Int. J. Pharm., 558, 319–327 (2019)
- Sinkó, B., Garrigues, T.M., Balogh, G.T., Nagy, Z.K., Avdeef, A., Takács-Novák, K. *Skin-PAMPA: a new method for fast prediction of skin penetration*. Eur. J. Pharm. Sci., 45, 698–707 (2012)
- Szlávik, Z.; Geneste, O.; Kotschy, A. et al *The structure guided discovery of a selective Mcl-1 inhibitor with cellular activity*. J. Med. Chem., 62, 6913–6924 (2019)
- Szűcs, Z., Plaszkó, T., Cziáky, Z., Kiss-Szikszai, A., Emri, T., Bertóti, R., Sinka, LT., Vasas, G., Gonda, S. *Endophytic fungi from the roots of horseradish (*Armoracia rusticana*) and their interactions with the defensive metabolites of the glucosinolate-myrosinase-isothiocyanate system*. BMC Plant Biol., 18(1), 85 (2018)
- Szűcs, Zs., Kelemen, V., Thai, S. L., Csavás, M., Róth, E., Batta, Gy., Stevaert, A., Vanderlinden, E., Naesens, L., Herczegh, P., Borbás, A. *Structure-activity relationship studies of lipophilic teicoplanin pseudoaglycon derivatives as new anti-influenza virus agents*, Eur. J. Med. Chem., 157, 1017–1030 (2018)
- Termékoltalom: PCT/EP2014/078947
- Termékoltalom: USP 7,737,142 (Magyar elsőbbség: P0302451)

- Ujhelyi, Z., Fenyvesi, F., Váradi, J., Fehér, P., Kiss, T., Veszelka, S., Deli, M., Vecsernyés, M., Bácskay, I. *Evaluation of cytotoxicity of surfactants used in self-micro emulsifying drug delivery systems and their effects on paracellular transport in Caco-2 cell monolayer*. Eur. J. Pharm. Sci., 47(3), 564–573 (2012)
- Vasas, G., Gáspár, A., Páger, C., Surányi, G., Máthé, C., Hamvas, M.M., Borbely, G. *Analysis of cyanobacterial toxins (anatoxin-a, cylindrospermopsin, microcystin-LR) by capillary electrophoresis*. Electrophoresis, 25(1), 108–115 (2004)
- Vasas, A., Rédei, D., Csupor, D., Molnár, J., Hohmann, J. *Diterpenes from European Euphorbia species serving as prototypes for natural-product-based drug discovery*. Eur. J. Org. Chem., 27, 5115–5130 (2012)
- Zupkó, I., Réthy, B., Hohmann, J., Molnár, J., Ocovszki, I., Falkay, G. *Antitumor activity of alkaloids derived from Amaryllidaceae species*. In Vivo, 23(1), 41–8 (2009)

